

SUPPLEMENTARY ISSUE



NEW  
PRODUCT  
RANGE

SPRING 2019

# WORKLAMPS

## 6" ADJUSTABLE WORKLAMP

CA 5746

ECE R10	EMC ✓	IP 67
LMS 3400	WATT 40	LED 8
VOLT 12-28		



Dimensions: 156\*93\*95mm

**EXPLORER**

## 6" OVAL WORKLAMP

CA 5751

ECE R10	EMC ✓	IP 67
LMS 3100	WATT 39	LED 13
VOLT 10-30		



Dimensions: 145\*77\*120mm

**EXPLORER**

## 4" SQUARE WORKLAMP

CA 5752

ECE R10	EMC ✓	IP 67
LMS 4150	WATT 48	LED 16
VOLT 10-30		



Dimensions: 110\*70\*137mm

**EXPLORER**

## 4" SQUARE WORKLAMP

CA 5741

ECE R10	EMC ✓	IP 66
LMS 1920	WATT 32	LED 16
VOLT 10-30		



Dimensions: 110\*110\*28mm

**TREKKER**

## ADVENTURE CURVED WORKLAMP BAR 21"

CA 6126

ECE R10	EMC ✓	IP 67	LMS 5400	WATT 72	LED 24	VOLT 12-28
------------	----------	----------	-------------	------------	-----------	---------------



## ADVENTURE CURVED WORKLAMP BAR 28"

CA 6127

ECE R10	EMC ✓	IP 67	LMS 8100	WATT 108	LED 36	VOLT 12-28
------------	----------	----------	-------------	-------------	-----------	---------------

## ADVENTURE CURVED WORKLAMP BAR 36"

CA 6128

ECE R10	EMC ✓	IP 67	LMS 10800	WATT 114	LED 48	VOLT 12-28
------------	----------	----------	--------------	-------------	-----------	---------------



CA 6126 / Dimensions: 528\*85\*119mm

CA 6127 / Dimensions: 719\*85\*119mm

CA 6128 / Dimensions: 910\*85\*119mm

**ADVENTURE**

## LED DIRECTIONAL WARNING LIGHT (REG 10) CA 7071

ECE R10 EMC IP 67 WATTS 2 LED 4 FLASH 19  
VOLT 10-30



AMBER LEDS

200mm Cable  
Dimensions: 96.8\*28.3\*12.6mm

## LED DIRECTIONAL WARNING LIGHT (REG 10) CA 7073

ECE R10 EMC IP 67 WATTS 3 LED 6 FLASH 19  
VOLT 10-30




AMBER LEDS

200mm Cable  
Dimensions: 112.6\*28.3\*12.6mm

## LED DIRECTIONAL WARNING LAMP (REG 65) CA 7082A

ECE R10/65 EMC IP 67 WATTS 5 LED 12 FLASH 10  
VOLT 12-24



300mm Cable  
Dimensions: 114\*44\*11mm

## LED DIRECTIONAL WARNING LIGHT (REG 10) CA 7061A

ECE R10 EMC IP 67 WATTS 6 LED 12 FLASH 10  
VOLT 10-30



SMD LEDS  
250mm Cable  
ULTRASONIC SEALING

Dimensions: 138\*58\*20mm

## 5" ROUND INTERIOR LIGHT CA 6152

ECE R10 IP 67 LMS 2100  
WATTS 18 LED 35 VOLT 12-24



FROSTED LENS  
200mm Cable  
Illuminated Touch Switch

Dimensions:  $\phi$ 130mm\*17mm

## 6.75" OVAL INTERIOR LIGHT CA 6153

ECE R10 IP 67 LMS 1400 WATTS 10 LED 20  
VOLT 12-24



FROSTED LENS  
200mm Cable  
Illuminated Touch Switch

Dimensions: 172\*57\*15mm

# REVERSING AIDS & ACCESSORIES

## 7" REVERSING CAMERA KIT

### CA 9770

7" (178mm) TFT LCD Monitor  
 2 Channel Input  
 NTSC / PAL  
 CE Approved  
 On Screen Display Menu Function  
 Camera Rated IP69  
 Night Vision: 10m  
 20 Metre Cable included

CA 9773 Monitor Dimensions: 177\*122\*26mm

CA 9774 Camera Dimensions: 70\*45\*60mm

### Monitor



### Camera



with Audio



## 7" REAR VIEW MIRROR CAMERA KIT

### CA 9772

7" (178mm) TFT LCD Monitor  
 2 Channel Input  
 NTSC / PAL  
 CE Approved  
 On Screen Display Menu Function  
 Camera Rated IP69  
 Night Vision: 10m  
 20 Metre Cable included

CA 9775 Monitor Dimensions: 245\*110\*25mm

CA 9774 Camera Dimensions: 70\*45\*60mm

### Monitor



### Camera



NO Audio



## 7" WIRELESS REVERSING CAMERA KIT

### CA 9780

7" (178mm) TFT LCD Monitor  
 2 Channel Input  
 NTSC / PAL  
 CE Approved  
 On Screen Display Menu Function  
 Camera Rated IP67  
 Night Vision: 10m

CA 9781 Monitor Dimensions: 204\*141\*78mm

CA 9782 Camera Dimensions: 95\*70\*65mm

### Monitor



### Camera



NO Audio



### 247 COLOUR CAMERA

#### CA 9774



ECE R10

Compatible with  
 CA 9770 / CA 9772

Dimensions: 70\*45\*60mm

### 247 WIRELESS COLOUR CAMERA

#### CA 9782



ECE R10

Compatible with  
 CA 9780

Dimensions: 95\*70\*65mm

### 247 LRG SIDE MOUNT COLOUR CAMERA

#### CA 9784



Compatible with  
 CA 9770 / CA 9772

Dimensions: 78\*68\*70mm

### 247 FIX MOUNT COLOUR CAMERA

#### CA 9785



ECE R10

Compatible with  
 CA 9770 / CA 9772

Dimensions: 73\*60\*51mm

### 247 DOME MOUNT COLOUR CAMERA

#### CA 9786



Compatible with  
 CA 9770 / CA 9772

Dimensions: Ø95\*63\*Ø95mm

# REVERSING AIDS & ACCESSORIES

BACK UP REVERSING ALARM / 97dB  
EPOXY RESIN POTTED  
EP 1207



Sound Level: 97dB  
Tone Type: BEEP  
Medium Duty, Weatherproof  
ECE REG 10  
IP67  
800 - 1400Hz



NIGHT SILENT ENABLED  
Dimensions: 104\*41\*69mm

BACK UP REVERSING ALARM / 107dB  
EPOXY RESIN POTTED  
EP 1208



Sound Level: 107dB  
Tone Type: BEEP  
Medium Duty, Weatherproof  
ECE REG 10  
IP67  
800 - 1400Hz



Dimensions: 99\*41\*63mm

WHITE NOISE REVERSING ALARM / 97dB  
EPOXY RESIN POTTED  
EP 1209



Sound Level: 97dB  
Tone Type: White Noise  
Heavy Duty  
Weatherproof  
ECE REG 10  
IP67  
800 - 1400Hz



Dimensions: 104\*41\*69mm

WHITE NOISE REVERSING ALARM - 107dB  
EPOXY RESIN POTTED  
EP 1211



Sound Level: 107dB  
Tone Type: White Noise  
Heavy Duty  
Weatherproof  
ECE REG 10  
IP67  
800 - 4000Hz



Dimensions: 127\*96\*78mm

EXTENSION CABLE  
5mtr / CA 9776.05  
10mtr / CA 9776.10  
15mtr / CA 9776.15  
20mtr / CA 9776



UNIVERSAL STAND  
ADHESIVE TYPE  
CA 9689



UNIVERSAL STAND  
SUCTION TYPE  
CA 9657



SUZIE CABLE KIT FOR  
CA 9770 / CA 9772  
CA 9757



ANTENNA FOR  
WIRELESS CAMERA /  
MONITOR CA 9780  
CA 9783



247 SML SIDE MOUNT  
COLOUR CAMERA  
CA 9787



Compatible with  
CA 9770 / CA 9772  
Dimensions: 50\*42\*70mm

7" (178mm) TFT LCD  
MONITOR  
CA 9773



Compatible with CA 9770  
2 Channel In / OSD Menu

5" (146mm) TFT LCD  
MONITOR  
CA 9778



Compatible with CA 9770  
2 Channel In / OSD Menu

7" (178mm) TFT LCD  
MONITOR  
CA 9781



Compatible with CA 9780  
2 Channel In / OSD Menu

7" (178mm) TFT LCD  
MONITOR  
CA 9775



Compatible with CA 9772  
2 Channel In / OSD Menu

# LED TAIL LAMPS · SIDE MARKERS

## 4" MULTIFUNCTION TAIL LAMP STOP / INDICATOR / TAIL

CA 7106




Dimensions: 82\*82\*28mm  
(With Bracket: 100\*100\*28mm)

STOP	TAIL	D.I.	REVERSE	FOG	REFLECTOR	NO. PLATE
✓	✓	✓	-	-	-	-

## 4" MULTIFUNCTION TAIL LAMP INDICATOR / TAIL

CA 7107



Dimensions: 82\*82\*28mm  
(With Bracket: 100\*100\*28mm)

STOP	TAIL	D.I.	REVERSE	FOG	REFLECTOR	NO. PLATE
-	✓	✓	-	-	-	-

## 4" MULTIFUNCTION TAIL LAMP REVERSE / TAIL

CA 7108



Dimensions: 82\*82\*28mm  
(With Bracket: 100\*100\*28mm)

STOP	TAIL	D.I.	REVERSE	FOG	REFLECTOR	NO. PLATE
-	✓	-	✓	-	-	-

## 4" MULTIFUNCTION TAIL LAMP STOP / TAIL

CA 7109



Dimensions: 82\*82\*28mm  
(With Bracket: 100\*100\*28mm)

STOP	TAIL	D.I.	REVERSE	FOG	REFLECTOR	NO. PLATE
✓	✓	-	-	-	-	-

## SIDE MARKER LAMP (AMBER)

CA 9350



Dimensions: 102\*74.3\*36.2mm  
500mm Cable


THERMOPLASTIC HOUSING (TPR)

## SIDE MARKER LAMP (RED)

CA 9350R

## SIDE MARKER LAMP (WHITE)

CA 9350W



## LED SIDE MARKER LAMP (AMBER)

CA 7120



Dimensions: 106\*35\*13mm  
200mm Cable

RESIN ULTRASONIC SEALING

## LED SIDE MARKER LAMP (AMBER)

CA 7091A



Dimensions: 126\*37.7\*10mm  
200mm Cable

RESIN ULTRASONIC SEALING

## SIGMA 16" LED LIGHTBAR

CA 7097

ECE R10/65	EMC ✓	IP 69K
WATTS 40	LED 56	FLASH 10
VOLT 10-30		



LIGHTS ON / 10 FLASH PATTERNS / AMBER LEDS

4 BOLT FIXING  
MAGNETIC KIT AVAILABLE\*\*  
CIGARETTE LIGHTER PLUG INCL.

Dimensions: 388\*223\*66mm



### Magnetic Pods Available



Magnetic Pods CA 7097MAG

### Replacement Cable



EXTRA Cigarette Lighter Plug & Cable CA 313

\*\*Magnetic Beacon: Rated To 110-120 KPH  
May detach at speeds above those indicated

## LED FLEXIBLE POLE MOUNT BEACON (R65)

CA 7066

ECE R65	EMC ✓	IP 67
WATTS 36	LED 12	FLASH 4
VOLT 12-24		

FLASH PATTERNS  
SINGLE, DOUBLE, QUAD REVOLVING  
360° DISTRIBUTION OF LIGHT

Dimensions: ø116mm\*211mm



## LED MAGNETIC MOUNT BEACON (R65)

CA 7068

ECE R65	EMC ✓	IP 67
WATTS 36	LED 12	FLASH 4
VOLT 12-24		

FLASH PATTERNS  
SINGLE, DOUBLE, QUAD REVOLVING  
360° DISTRIBUTION OF LIGHT  
CIGARETTE PLUG INCLUDED

Dimensions: ø148mm\*131mm

Cable length: 4 METRES

Magnetic Beacon: Rated To 110-120 KPH  
May detach at speeds above those indicated



## LED 3 BOLT MOUNT BEACON (R65)

CA 7067

ECE R65	EMC ✓	IP 67
WATTS 36	LED 12	FLASH 4
VOLT 12-24		

FLASH PATTERNS  
SINGLE, DOUBLE, QUAD REVOLVING  
360° DISTRIBUTION OF LIGHT

Dimensions: ø148mm\*125mm




# LEADLAMP & TORCH

## LED LEADLAMP AND TORCH EP 066

\* DISPLAY BOX OF 8 AVAILABLE

LMS  
500

WATTS  
5



# ELECTRICAL COMPONENTS

## 2 POLE CONNECTOR CA 305 50 AMP



## TRAILER TESTER CA 9523 13 PIN Socket/Plug

VOLT  
9V

No Battery Included  
9V / 6LR



## RACHET CRIMPING TOOL TL 506 for Pre-Insulated Term



## H/D CRIMPING TOOL TL 507 Heavy Duty Lug 10 - 95mm<sup>2</sup>



## H/D CABLE CUTTER TOOL TL 508 for Cable up to 80mm<sup>2</sup>



## CABLE WIRE STRIPPER TOOL TL 509 1.0mm - 3.2mm Diameter



## ECONOMY MULTI CRIMPER & WIRE STRIPPER TOOL TL 510



log onto  
[www.247lighting.net](http://www.247lighting.net)  
for our full catalogue  
& complete product  
specifications

